



ENCR Scientific Meeting and General Assembly

From harmonization of quality check project to the development of the JRC-ENCR Quality Check Software

Carmen Martos

Health in Society Unit JRC Directorate F – Health, Consumers and Reference Materials




Quality check project

- ☐ The reliability and utility of information provided by population-based cancer registries (CRs) depends on the quality of the data collected.
- □ Several edits are in place to check the validity of European cancer registry data.
- □ The ENCR and the JRC launched in 2013 an initiative to establish a standardised list of cancer data quality checks to be adopted by European cancer registries in order to be used in European projects





Quality check project



3 Workshops at JRC - Ispra (Italy)



2 July 2013

Overview of data quality checks used by major EU studies and open discussion on quality control methods.

15 October 2013

Agreement was reached on the mandatory and basic variables list and their formats.

4 June 2014

Discussion and agreement for "One common procedure for European Cancer Registries" 3



Quality check project



Focuses on

Case definition

Variables and their formats

Internal consistency checks

Impossible codes or combinations → Error

Very unlikely codes or combinations → Warning

Not unlikely, but very rare code or combinations → Warning



Data quality

Validity

Completeness

Comparability

Timeliness

Internal consistency



- The report provided the basis for the data qualitycheck software developed by the JRC.
- ☐ This toolkit is being used by the JRC for checking data submitted by European CRs for the 2015 ENCR-JRC data call.
- A new beta version of the software is available for downloading from the ENCR-JRC Portal.



JRC-ENCR QC Software

Multiple primary tumours

Consistency within variables

Consistency between variables

Coherence of dates

Survival and extent of the disease

Compulsory

variables

Optional

variables

Consistency between tumour data and demographic information

Consistency between tumour variables





Consistency within variables

A proposal on cancer data quality checks: one common procedure for European cancer registries Addendum to version 1.0 (November 2014)

During the last two years the European Network of Cancer Registries (ENCR) and The Joint Research Centre (JRC) have been working in preparing the 2015 ENCR-JRC call for data and developing the JRC-ENCR Quality Check (QC) software.

Table 1. Quality checks for the variables and their format (pages 9-14)

The following is the updated version of *Table 1*; changes from the previous version are in *italia*. The 2015 ENCR-JRC call for data protocol has been integrated in *Table 1*, adding variable names and a few variables.

Variable name	Variable description	Format	Maximum length	Core	Missing /unknown values	Allowed values
1_Flag	Check flag	F	1	Υ	Not allowed	Allowed values: 0, 1 0 → Not checked 1 → Checked
2_Patient_ID	Patient identification code	Α	50	Y	Not allowed	Not allowed to have duplicate combination of the two variables: 2_Patient_ID +
3_Tumour_ID	Tumour identification code	Α	50	Υ	Not allowed	3_Tumour_ID in the same dataset
4 Day DoB	Day of birth	F	2	Υ	99	Range of allowed values:

2_Pati	2		ımo 1						
1_Flag	13_Topo	14_Morpho	15_Beh	7_Sex	DoI	DoB	Var_Name	Var_Value	Error_Code
0	C619	8140	3	1	7/1/2009	3/4/1946	17_Autopsy	2	E-OUTR

2_Pati	8 3_Tumo 1										
1_Flag	13_Topo	14_Morpho	15_Beh	7_Sex	DoI	DoB	Var_Name	Var_Value	Error_Code		
0	C619	8140	3	a	7/1/2009	3/4/1946	7_Sex	a	E-FORM		



Consistency within variables

A proposal on cancer data quality checks: one common procedure for European cancer registries Addendum to version 1.0 (November 2014)

During the last two years the European Network of Cancer Registries (ENCR) and The Joint Research Centre (JRC) have been working in preparing the 2015 ENCR-JRC call for data and developing the JRC-ENCR Quality Check (QC) software.

Table 1. Quality checks for the variables and their format (pages 9-14)

The following is the updated version of *Table 1*; changes from the previous version are in *italia*. The 2015 ENCR-JRC call for data protocol has been integrated in *Table 1*, adding variable names and a few variables.

Variable name	Variable description	Format	Maximum length	Core	Missing /unknown values	Allowed values
1_Flag	Check flag	F	1	Υ	Not allowed	Allowed values: 0, 1 0 → Not checked 1 → Checked
2_Patient_ID	Patient identification code	Α	50	Υ	Not allowed	Not allowed to have duplicate combination of the two variables: 2_Patient_ID +
3_Tumour_ID	Tumour identification code	Α	50	Υ	Not allowed	3_Tumour_ID in the same dataset
4 Day DoB	Day of birth	F	2	Υ	99	Range of allowed values:

2_Pati	4 3_Tumo 1											
1_Flag	13_Topo	14_Morpho	15_Beh	7_Sex	DoI	DoB	Var_Name	Var_Value	Error_Code			
0	C619	8140	3	1	7/1/	3/4/1946	10_Year_DoI		E-MISS			
							11_Age		E-MISS			
							22_Survival		E-MISS			

2_Pati	15 3_Tumo 1										
1_Flag	13_Topo	14_Morpho	15_Beh	7_Sex	DoI	DoB	Var_Name	Var_Value	Error_Code		
0	C910	8000	3	1	7/1/2009	3/4/1946	13_Topo	C910	E-OUTR		



Consistency between tumour data and demographic information

Pag.26-28

Table 3. Unlikely and rare combinations of age and tumour type.

Age group [years]	Morphology	Topography
0-2	Hodgkin lymphoma: 9650-9667	-
> 9	Neuroblastoma and ganglioneuroblastoma: 9490, 9500	-
> 5	Retinoblastoma: 9510-9514	-

2_Pati	12					3_T	umo 1		
1_Flag	13_Topo	14_Morpho	15_Beh	7_Sex	DoI	DoB	Var_Name	Var_Value	Error_Code
0	C779	9650	3	2	7/1/2009	3/4/2008	Calc_Age 14_Morpho	0 9650	W-AGMT W-AGMT
2_Pati	13					 3_T	umo 2		
1_Flag	13_Topo	14_Morpho	15_Beh	7_Sex	DoI	DoB	Var_Name	Var_Value	Error_Code
0	C504	8500	3	2	7/1/2009	3/4/1995	Calc_Age 13_Topo 14 Morpho	13 C504 8500	W-AGMT W-AGMT W-AGMT



1_Flag 13_Topo 14_Morpho 15_Beh 7_Sex DoI

Consistency between tumour data and demographic information

Pag.28

Var Value Error Code

E-SETO

E-SETO

Sex - 1 (male)	Sex- 2 (female)
C51 Vulva	C60 Penis
C52 Vagina	C61 Prostate gland
C53 Cervix uteri	C62 Testis
C54 Corpusuteri	C63 Other and unspecified male genital organs
CEE VINNE NO.	

Var Name

13_Topo

Sex - 1	(male)	Sex= 2	(female)	
0313/3	Clear cell adenotarcinofibronia	9061/3	Seminoma, NOS	
e3e0/3	Endometriold adenocarcinoma, NOS	9062/3	Seminoma, anapi	lastic
8381/3	Endometriold adenofibroma, malignant.	9063/3	Spermatocytic se	minoma
8382/3	Endometriold adenocarcinoma, secretory variant			
8383/3	Endometriold adenocarcinoma, ciliated cell variant			
8384/3	Adenocarcinoma, endocervical type			
8441/3	Serous cystadenocarcinoma, NOS			
846Q/3	Papillary serous cystadenocarchoma			
8471/3	Papillary mudnous cystadenocardnoma		2 Pati	17
8482/3	Mucinous adenocardnoma, endocervical type			
8600/3	Thecoma, malignant		1 Flag	13 7
867Q/3	Steroid cell turnour, mellgnent			
8930/3	Endometrial stromal sarcoma, NOS		0	C619
8931/3	Endometrial stromal sarcoma, low grade			
8934/3	Cardnofibroma			
895Q3	Mullerian mixed turnour			
8951/3	Mesodermal mixed furnour			
9000/3	Brenner turnour, malignant			
9014/3	Serous adenocarcin ofibroma		0. D	10
9015/3	Mucinous adenocarcinofibroma		2_Pati	18

2 Pati	17					3 Th	umo 1		
		14_Morpho	15_Beh	7_Sex	DoI	DoB	Var_Name	 Var_Value	Error_Code
0	C619	8380	3	1	7/1/2009	3/4/1946	7_Sex 14_Morpho 15_Beh	1 8380 3	W-SEMO W-SEMO W-SEMO

2_Pati	18			mo 2					
1_Flag	13_Topo	14_Morpho	15_Beh	7_Sex	DoI	DoB	Var_Name	Var_Value	Error_Code
0	C539	9061	3	2	7/1/2009	3/4/1946	7_Sex 14_Morpho 15_Beh	2 9061 3	W-SEMO W-SEMO W-SEMO


3 2 7/1/2009 3/4/1946 7_Sex

Pag.29

9090/3 Struma ovary, malignant



Figure 2. Valid combinations for basis of diagnosis and marphology.



Pag.30

Consistency between tumour variables

2_Pati	19 3_Tumo 1										
1_Flag	13_Topo	14_Morpho	15_Beh	7_Sex	DoI	DoB	Var_Name	Var_Value	Error_Code		
0	C509	8500	3	2	7/1/2009	3/4/1946	14_Morpho 12_BoD	8500 0	W-BDMO W-BDMO		

2_Pati	20 3_Tumo 2									
1_Flag	13_Topo	14_Morpho	15_Beh	7_Sex	DoI	DoB	Var_Name	Var_Value	Error_Code	
0	C504	8000	3	1	7/1/2009	3/4/1946	14_Morpho 12_BoD	8000 7	W-BDMO W-BDMO	



Table 7. Valid combinations for morphology and grade.

Grade →	5	6	8
Morphology	9700-9702, 9705, 9708, 9709, 9714, 9716, 9717, 9718, 9719, 9724, 9725, 9726, 9729, 9800, 9801, 9805-9807, 9809, 9820, 9827, 9831, 9834, 9837	9591, 9596, 9597, 9670, 9671, 9673, 9678-9680, 9684, 9687-9691, 9695, 9698, 9699, 9712, 9728, 9731, 9732, 9734, 9737, 9738, 9762, 9800, 9801, 9805-9808, 9811, 9812-9818, 9820, 9823, 9826, 9833, 9836, 9940	9719, 9727, 9831, 9948

Consistency between tumour variables

Pag.32

2_Pati	28 3_Tumo 1									
1_Flag	13_Topo	14_Morpho	15_Beh	7_Sex	DoI	DoB	Var_Name	Var_Value	Error_Code	
0	C449	9700	3	2	7/1/2009	3/4/1946	16_Grade 14_Morpho 15_Beh	6 9700 3	W-MOGR W-MOGR W-MOGR	



Pag.34-39

Table 9. Morphology codes and allowed/refused topography codes.

Morphology codes	Allowed topography codes	Not allowed topography codes
8000-8005		C420, C421, C77
8010-8589		C38, C40-C42, C47, C480, C49, C70- C72, C77
8015	C53	

Consistency between tumour variables

2_Pati	25 3_Tumo 1										
1_Flag	13_Topo	14_Morpho	15_Beh	7_Sex	DoI	DoB	Var_Name	Var_Value	Error_Code		
0	C421	8000	3	1	7/1/2009	3/4/1946	14_Morpho 13_Topo	8000 C421	W-MOTO W-MOTO		

2_Pati	26 3_Tumo 2									
1_Flag	13_Topo	14_Morpho	15_Beh	7_Sex	DoI	DoB	Var_Name	Var_Value	Error_Code	
0	C189	8142	3	1	7/1/2009	3/4/1946	14_Morpho 13_Topo	8142 C189	W-MOTO W-MOTO	

2_Pati	27 3_Tumo 3										
1_Flag	13_Topo	14_Morpho	15_Beh	7_Sex	DoI	DoB	Var_Name	Var_Value	Error_Code		
0	C411	8720	3	1	7/1/2009	3/4/1946	14_Morpho 13_Topo	8720 C411	W-MOTO W-MOTO		



3.3. Specific checks for survival analysis

Follow-up time and extent of disease are two important components to evaluate and interpret cancer survival.

 Consistency of vital statu topsy/basis of diagnosis survival/dates of incidence

Vital status = 1 (alive)

Autopsy = 0 (not incidentally diagnosed at autopsy)

Basis of diagnosis ≠ 0 (DCO)

Pag.40-41

Survival and extent of the disease

2_Pati	31 3_Tumo 2									
1_Flag	13_Topo	14_Morpho	15_Beh	7_Sex	DoI	DoB	Var_Name	Var_Value	Error_Code	
0	C809	8020	3	1	7/1/2009	3/4/1946	47_Tsize	20.99	E-FORM	
							13_Topo 47_Tsize	C809 20.99	W-TOTS W-TOTS	

2_Pati	32 3_Tumo 3										
1_Flag	13_Topo	14_Morpho	15_Beh	7_Sex	DoI	DoB	Var_Name	Var_Value	Error_Code		
0	C504	8010	2	2	7/1/2009	3/4/1946	12_BoD 15_Beh	2	W-BDMO W-BDMO		
							12_BoD 30_pT	2 is	W-BDpT W-BDpT		



3.3. Specific checks for survival analysis

Follow-up time and extent of disease are two important components to evaluate and interpret cancer survival.

 Consistency of vital statu topsy/basis of diagnosis survival/dates of incidence

Vital status = 1 (alive)

Autopsy = 0 (not incidentally diagnosed at autopsy)

Basis of diagnosis ≠ 0 (DCO)

Pag.40-41

Survival and extent of the disease

2_Pati	i 33 3_Tumo 4									
1_Flag	13_Topo	14_Morpho	15_Beh	7_Sex	DoI	DoB	Var_Name	Var_Value	Error_Code	
0	C504	8500	3	2	7/1/2009	3/4/1946	15_Beh 30_pT	3 is	W-BTNM W-BTNM	


2_Pati	34 3_Tumo 5										
1_Flag	13_Topo	14_Morpho	15_Beh	7_Sex	DoI	DoB	Var_Name	Var_Value	Error_Code		
0	C559	8000	3	2	7/1/2009	3/4/1946	14_Morpho 12_BoD	8000 7	W-BDMO W-BDMO		
							46_EoD 13_Topo	1 C559	W-EoDT W-EoDT		



A proposal on cancer data quality checks: one common procedure for European cancer registries Addendum to version 1.0 (November 2014)

Multiple primary tumours

During the last two years the European Network of Cancer Registries (ENCR) and The Joint Research Centre (JRC) have been working in preparing the 2015 ENCR-JRC call for data and developing the JRC-ENCR Quality Check (QC) software.




2_Pati	29 3_Tumo 1						
12_BoD	13_Topo	14_Morpho	15_Beh	7_Sex	DoI	DoB	Laterality
7	C504	8500	3	2	7/1/2009	3/4/1946	
	29 3_Tumo 2						
2_Pati	29					3_Ti	ımo 2
		14_Morpho	 15_Beh	7_Sex	DoI	3_Ti	umo 2 Laterality



A proposal on cancer data quality checks: one common procedure for European cancer registries Addendum to version 1.0 (November 2014)

During the last two years the European Network of Cancer Registries (ENCR) and The Joint Research Centre (JRC) have been working in preparing the 2015 ENCR-JRC call for data and developing the JRC-ENCR Quality Check (QC) software.

Multiple primary tumours



2_Pati	30 3_Tumo 3						
12_BoD		14_Morpho					
7	C349	8070	3	1	7/3/2009	3/4/1946	
	30 3_Tumo 4						
2_Pati	30					3_T	umo 4
		14_Morpho	 15_Beh	7_Sex	DoI		



Thank you for your attention

www.encr.eu
https://ec.europa.eu/jrc

